

CHINT NA1 Series Air Circuit Breakers (ACB) - Drawout Type

Certifications : CB, PCT, RCC, KEMA, SEMKO, JKR

Compliance To IEC/EN60947-2

Model	Current Rating (Amp)	Icu (kA)	3 Pole Unit Price (RM)	4 Pole Unit Price (RM)
NA1-2000-630M	630	80	7,500.00	10,000.00
NA1-2000-1000M	1000	80	8,000.00	10,300.00
NA1-2000-1250M	1250	80	8,900.00	10,600.00
NA1-2000-1600M	1600	80	9,500.00	11,000.00
NA1-2000-2000M	2000	80	9,900.00	12,200.00
NA1-3200-2500M	2500	100*	13,300.00	17,300.00
NA1-3200-3200M	3200	100*	14,400.00	18,000.00
NA1-4000-4000M	4000	100*	On Request	On Request
NA1-6300-4000M	4000	120	On Request	On Request
NA1-6300-5000M	5000	120	On Request	On Request
NA1-6300-6300M	6300	120	On Request	Not Available

Note : 100kA* refer to CCC

Standard Accessories Included :-

1. Shunt trip device
2. Auxiliary switch 4NO+4NC

Chint ACB Optional Accessories :-

Type	Used In	Unit Price (RM)
1. Under voltage trip device (UVT)	NA1-2000/3200	720.00
2. Motor charging device (MD) + Closing Coil (CC)	NA1-2000/3200	1,780.00
3. Mechanical Interlock for 2 ACBs	NA1-2000/3200	1,330.00
4. Mechanical Interlock for 3 ACBs	NA1-2000/3200	2,660.00
5. Castell Key Lock	NA1-2000/3200	330.00

Chint NM1 Series Moulded Case Circuit Breakers (MCCB)

Certification : KEMA, RCC, PCT, ESC, UKRTEST, JKR

Compliance To IEC/EN60947-2

Rated service breaking capacity Ics = 50% Icu

Model	Current Rating (Amp)	Pole	Icu (kA)	Unit Price (RM)
NM1-125H/2300	25, 32, 40, 50, 63, 80, 100	2	50	120.00
NM1-63S/3300	10, 16, 20, 32, 40, 63	3	15	131.00
NM1-125C/3300	25, 32, 40, 50, 63, 80, 100	3	20	131.00
NM1-125S/3300	25, 32, 40, 50, 63, 80, 100	3	25	153.00
NM1-125S/3300	125	3	25	186.00
NM1-250S/3300	160	3	25	242.00
NM1-250S/3300	200, 225	3	25	320.00
NM1-250S/3300	250	3	25	586.00
NM1-400S/3300	315, 400	3	35	697.00
NM1-125H/3300	25, 32, 40, 50, 63, 80, 100	3	50	186.00
NM1-125H/3300	125	3	50	231.00
NM1-250H/3300	160	3	50	375.00
NM1-250H/3300	200, 225	3	50	397.00
NM1-250H/3300	250	3	50	753.00
NM1-400H/3300	315, 400	3	50	875.00
NM1-630H/3300	500, 630	3	50	1,731.00
NM1-800H/3300	800	3	60	1,853.00
NM1-1250H/3300	1000	3	65	3,453.00
NM1-1250H/3300	1250	3	65	3,708.00
NM1-63H/4300	20, 32, 40, 50, 63	4	35	231.00
NM1-125H/4300	25, 32, 40, 50, 63, 80, 100	4	50	253.00
NM1-250H/4300	125, 160	4	50	420.00
NM1-250H/4300	200, 225, 250	4	50	475.00
NM1-400S/4300	315, 350, 400	4	35	920.00
NM1-630S/4300	500, 630	4	35	1,597.00
NM1-800H/4300	630, 700, 800	4	60	2,664.00

Copper Bar For MCCB - NM1

Model	3P	4P
NM1-125C	-	-
NM1-125S	-	-
NM1-250S/H	97.00	131.00
NM1-400S/H	197.00	264.00
NM1-630H	464.00	620.00
NM1-800H	475.00	642.00
NM1-1250H	-	-

Chint NM8 Series 3 Pole Moulded Case Circuit Breakers (MCCB)

Certification : KEMA, RCC, PCT, ESC, UKRTEST

Compliance To IEC/EN60947-2

Rated service breaking capacity Ics = 100% Icu

Model	Current Rating (Amp)	Pole	KA	Unit Price (RM)
NM8-125H/2300	25, 32, 40, 50, 63, 80, 100, 125	2	100	386.00
NM8-125S/3300	25, 32, 40, 50, 63, 80, 100, 125	3	50	320.00
NM8-250S/3300	160	3	50	442.00
NM8-250S/3300	200, 225	3	50	497.00
NM8-250S/3300	250	3	50	586.00
NM8-400S/3300*	315, 350, 400	3	70	1,097.00
NM8-630S/3300*	500	3	70	1,875.00
NM8S-630S/3300	630	3	70	1,875.00
NM8-125H/3300	25, 32, 40, 50, 63, 80, 100, 125	3	100	442.00
NM8-250H/3300	160	3	100	620.00
NM8-250H/3300	200, 225	3	100	675.00
NM8-250H/3300	250	3	100	697.00
NM8-400H/3300*	315, 350, 400	3	100	1,208.00
NM8-630H/3300*	500	3	100	2,097.00
NM8-125R/3300	25, 32, 40, 50, 63	3	150	564.00
NM8-250R/3300	100, 125, 160	3	150	831.00
NM8-250R/3300	200, 225	3	150	853.00
NM8-250R/3300	250	3	150	875.00
NM8-400R/3300*	315, 350, 400	3	150	1,431.00
NM8-630R/3300*	500	3	150	2,320.00

Note : * When Ue is \geq 660V, Ics = 50% Icu.**Chint NM8 Series 3 Pole Moulded Case Circuit Breakers (MCCB)**

Certification : KEMA, RCC, PCT, ESC, UKRTEST

Compliance To IEC/EN60947-2

Rated service breaking capacity Ics = 50% Icu

Model	Current Rating (Amp)	Pole	(Icu) KA	Unit Price (RM)
NM8-800S/3300	630, 700, 800	3	50	3,308.00
NM8-1250S/3300	1000, 1250	3	50	3,653.00
NM8-800H/3300	630, 700, 800	3	70	3,431.00
NM8-1250H/3300	1000, 1250	3	70	3,764.00

Chint NM8 Series 4 Pole Moulded Case Circuit Breakers (MCCB)

Certification : KEMA, RCC, PCT, ESC, UKRTEST

Compliance To IEC/EN60947-2

Rated service breaking capacity Ics = 100% Icu

Model	Current Rating (Amp)	Pole	KA	Unit Price (RM)
NM8-125S/4300	25, 32, 40, 50, 63, 80, 100	4	50	475.00
NM8-250S/4300	125, 160	4	50	675.00
NM8-250S/4300	200, 225	4	50	697.00
NM8-250S/4300	250	4	50	786.00
NM8-400S/4300*	315, 350, 400	4	70	1,664.00
NM8-630S/4300*	500	4	70	2,542.00
NM8S-630S/4300	630	4	70	2,542.00
NM8-125H/4300	25, 32, 40, 50, 63, 80, 100	4	100	586.00
NM8-250H/4300	125, 160	4	100	831.00
NM8-250H/4300	200, 225	4	100	853.00
NM8-250H/4300	250	4	100	875.00
NM8-400H/4300*	315, 350, 400	4	100	1,775.00
NM8-630H/4300*	500	4	100	2,653.00

Note : * When Ue is >= 660V, Ics = 50% Icu.

Chint NM8 Series 4 Pole Moulded Case Circuit Breakers (MCCB)

Certification : KEMA, RCC, PCT, ESC, UKRTEST

Compliance To IEC/EN60947-2

Rated service breaking capacity Ics = 50% Icu

Model	Current Rating (Amp)	Pole	(Icu) KA	Unit Price (RM)
NM8-800S/4300	630, 700, 800	4	50	4,408.00
NM8-1250S/4300	1000, 1250	4	50	4,653.00
NM8-800H/4300	630, 700, 800	4	70	4,542.00
NM8-1250H/4300	1000, 1250	4	70	4,764.00

Copper Bar For MCCB - NM8

Model	3P	4P
NM8-250	97.00	131.00
NM8-400/630	464.00	620.00
NM8-800/1250	697.00	931.00

CHINT NM1 3P & 4P MCCB ACCESSORIES

Product Type	Shunt Trip 230V AC List Price (RM)	Auxiliary Contact List Price (RM)	Alarm Contact List Price (RM)	UVT 415V AC List Price (RM)	Handle List Price (RM)
NM1-63S 3P	97.00	TBA	TBA	TBA	108.00
NM1-125H 2P	97.00	64.00	64.00	153.00	N/A
NM1-125S/H 3P & 125C	97.00	64.00	64.00	153.00	108.00
NM1-250S/H	120.00	75.00	75.00	164.00	120.00
NM1-400S	186.00	86.00	86.00	253.00	142.00
NM1-400H	186.00	86.00	86.00	253.00	142.00
NM1-630H	208.00	97.00	97.00	264.00	153.00
NM1-800H	231.00	108.00	108.00	442.00	175.00
NM1-1250H	431.00	120.00	N/A	453.00	442.00

Note : the price are same for 3P & 4P, but product are different.

CHINT NM8 3P & 4P MCCB ACCESSORIES

Product Type	Shunt Trip 220V AC List Price (RM)	Auxiliary Contact List Price (RM)	Alarm Contact List Price (RM)	UVT 415V AC List Price (RM)	Handle List Price (RM)
NM8-125	142.00	64.00	64.00	208.00	164.00
NM8-250	208.00	75.00	75.00	220.00	186.00
NM8-400	208.00	86.00	86.00	231.00	275.00
NM8-630	231.00	97.00	97.00	253.00	275.00
NM8-800	364.00	108.00	108.00	820.00	375.00
NM8-1250	431.00	120.00	231.00	820.00	442.00

CHINT NC1 / NC2 Series 3 Pole A.C. Contactor

*Conformity Standard: IEC 947-1, GB 14048-4, NFC 63-110, VDE 0660, BS 5452 & JEM 1038


*Certification & Approval By: VDE-0660, UL-508, CB & CE

*Quality Assurance: ISO-14001 & ISO-9001


*Complete Prevention of humming noise & minimizing power consumption.

*Longest Electrical Lifetime(100 x 10 x 4 times) & mechanical lifetime (1000 x 10 x 4 times).

Model	AC3: 380V - 440V			AC1 Rating	Auxiliary		Unit Price (RM)
	KW	HP	AMP		N/O	N/C	
NC1-09-10	4	5.5	9A	20A	1	0	30.00
NC1-09-01	4	5.5	9A	20A	0	1	30.00
NC1-12-10	5.5	7.5	12A	20A	1	0	32.00
NC1-12-01	5.5	7.5	12A	20A	0	1	32.00
NC1-18-10	7.5	10	18A	32A	1	0	34.00
NC1-18-01	7.5	10	18A	32A	0	1	34.00
NC1-25-10	11	15	25A	40A	1	0	46.00
NC1-25-01	11	15	25A	40A	0	1	46.00
NC1-32-10	15	20	32A	50A	1	0	56.00
NC1-32-01	15	20	32A	50A	0	1	56.00
NC1-40-11	18.5	25	40A	60A	1	1	104.00
NC1-50-11	22	30	50A	80A	1	1	106.00
NC1-65-11	30	40	65A	80A	1	1	165.00
NC1-80-11	37	50	80A	95A	1	1	220.00
NC1-95-11	45	60	95A	95A	1	1	220.00
NC2-115	55	75	115A	200A	0	0	386.00
NC2-150	75	100	150A	200A	0	0	476.00
NC2-185	90	120	185A	275A	0	0	684.00
NC2-225	110	150	225A	275A	0	0	852.00
NC2-265	132	180	265A	315A	0	0	978.00
NC2-330	160	220	330A	380A	0	0	1,220.00
NC2-400	220	300	400A	450A	0	0	1,308.00
NC2-500	280	380	500A	630A	0	0	1,576.00
NC2-630	335	450	630A	800A	0	0	2,200.00



NC1-09 TO
NC1-18



NC1-25 & NC1-32



NC1-40 TO NC1-95



NC2-115 TO NC2-630



CHINT NR2 Series Thermal Overload Relay (3 Heaters)

*Conformity to IEC-60947, GB 14048-4, GB 14048-5 Standards.

*Certification & Approval by: VDE-0660, UL, CE & CB.

*Protection against Overload & Phase Failure.

*Extra long time starting & extra long time jam.

*Direct mount to contactor with Manual-Auto reset.

T.O. Relay Model	3 Phase HP	Center AMP	Setting Ranges	Match Contactor	Unit Price (RM)
NR2-25			0.1A - 0.16A	NC1-09 TO 25	43.00
			0.16A - 0.25A	NC1-09 TO 25	43.00
			0.25A - 0.4A	NC1-09 TO 25	43.00
			0.4A - 0.63A	NC1-09 TO 25	43.00
			0.63A - 1A	NC1-09 TO 25	43.00
	0.5	1.3A	1A - 1.6A	NC1-09 TO 25	43.00
	1	2.1A	1.6A - 2.5A	NC1-09 TO 25	43.00
	2	3.3A	2.5A - 4A	NC1-09 TO 25	43.00
NR2-25	3	5A	4A - 6A	NC1-09 TO 25	43.00
	4	6.5A	5.5A - 8A	NC1-09 TO 25	43.00
	5.5	8.5A	7A - 10A	NC1-09 TO 25	43.00
NR2-25	7.5	11A	9A - 13A	NC1-09 TO 25	45.00
	10	15A	12A - 18A	NC1-09 TO 25	45.00
	15	21A	17A - 25A	NC1-09 TO 25	45.00
NR2-36	20	28A	23A - 32A	NC1-25 TO 32	65.00
	25	32A	28A - 36A	NC1-25 TO 32	65.00
NR2-93	25	35A	30A - 40A	NC1-40 TO 95	98.00
	30	43A	37A - 50A	NC1-40 TO 95	98.00
	40	56A	48A - 65A	NC1-40 TO 95	98.00
	50	63A	55A - 70A	NC1-40 TO 95	98.00
	55	72A	63A - 80A	NC1-40 TO 95	98.00
NR2-93	60	87A	80A - 93A	NC1-40 TO 95	108.00
NR2-200 CT OPERATED	75	103A	80A - 125A	NC2-115 TO 225	368.00
	100	130A	100A - 160A	NC2-115 TO 225	418.00
	125	163A	125A - 200A	NC2-115 TO 225	428.00
NR2-630 CT OPERATED	175	210A	160A - 250A	NC2-185 TO 400	608.00
	200	260A	200A - 315A	NC2-185 TO 400	618.00
	280	330A	250A - 400A	NC2-185 TO 400	628.00
NR2-630 CT OPERATED	300	400A	315A - 500A	NC2-500 TO 630	678.00
	400	520A	400A - 630A	NC2-500 TO 630	678.00

AUXILIARY CONTACT BLOCK (FRONT MOUNTING)**MECHANICAL INTERLOCK**

Model	N/O	N/C	For Contact	Unit Price (RM)	Model	Unit Price (RM)
F4-11	1	1	All Models of	7.00	CJX2(NC1) - 09-32	18.00
F4-22	2	2	NC1 & NC2	9.00	CJX2(NC1) - 40-65	38.00
			Contactor		CJX2(NC1) - 80-95	48.00

CHINT 6KA TYPE C MCB (IEC/EN 60898)

KA	POLE	MODEL	AMP	UNIT PRICE (RM)
6	1	eBG	6 - 40A	7.40
	2	eBG	6 - 40A	21.00
	3	eBG	6 - 40A	38.00

CHINT 6KA TYPE C MCB (IEC/EN 60898) - JKR APPROVED

KA	POLE	MODEL	AMP	UNIT PRICE (RM)
6	1	NB1-63	6 - 40A	9.50
		NB1-63	50-63A	15.50
	2	NB1-63	6 - 40A	23.50
		NB1-63	50-63A	31.50
	3	NB1-63	6 - 40A	40.00
		NB1-63	50-63A	42.00

CHINT 10KA TYPE C MCB (IEC/EN 60898) - JKR APPROVED

KA	POLE	MODEL	AMP	UNIT PRICE (RM)
10	1	NB1H	6 - 40	15.00
			50 - 63	17.00
	2	NB1H	6 - 40	42.00
			50 - 63	48.50
	3	NB1H	6 - 40	63.50
			50 - 63	69.50

MCB ACCESSORIES

Model	Description	Unit Price (RM)
S9	Shunt Trip for NB1	58.00
XF9	Auxiliary Contact for NB1 (Left Only)	38.00
SF9J	Alarm Auxiliary Contact for NB1	38.00

CHINT 6KA TYPE C MCB (IEC/EN 60898)

KA	POLE	MODEL	AMP	UNIT PRICE (RM)
6	1	DZ158	80A	69.00
			100A	69.00
			125A	85.00
	2	DZ158	80A	137.00
			100A	137.00
			125A	169.00
	3	DZ158	80A	206.00
			100A	206.00
			125A	253.00


MCB ACCESSORIES

Model	Description	Unit Price (RM)
AXI	Auxiliary Contact for DZ158	53.00

CHINT ELCB (with RoHS)

Item	Model	Unit Price (RM)
	2 POLE	
1	NL1-63 25A 0.01(10mA) 2P ELCB	190.00
2	NL1-63 40A 0.03(30mA) 2P ELCB	106.00
3	NL1-63 40A 0.1(100mA) 2P ELCB	66.00
4	NL1-63 40A 0.3(300mA) 2P ELCB	95.00
5	NL1-63 63A 0.03(30mA) 2P ELCB	125.00
6	NL1-63 63A 0.1(100mA) 2P ELCB	78.00
7	NL1-63 63A 0.3(300mA) 2P ELCB	106.00
	4 POLE	
8	NL1-63 40A 0.03(30mA) 4P ELCB	160.00
9	NL1-63 40A 0.1(100mA) 4P ELCB	129.00
10	NL1-63 40A 0.3(300mA) 4P ELCB	108.00
11	NL1-63 63A 0.03(30mA) 4P ELCB	160.00
12	NL1-63 63A 0.1(100mA) 4P ELCB	146.00
13	NL1-63 63A 0.3(300mA) 4P ELCB	116.00
14	NL1-100 100A 0.1 (100mA) 4P ELCB	379.00
15	NL1-100 100A 0.3(300mA) 4P ELCB	348.00



RoSH: EUROPE enviromental protection standard



NCH8

CHINT NCH8 Modular AC Contactor - (230VAC)


Model	Pole	Description	AC1 Rating	Auxiliary		List Price (RM)
				N/O	N/C	
NCH8-20	2P	AC CONTACTOR (230VAC)	20A	2	0	44.00
NCH8-40	2P	AC CONTACTOR (230VAC)	40A	2	0	110.00
NCH8-63	4P	AC CONTACTOR (230VAC)	63A	4	0	132.00



NC6

CHINT NC6 Modular AC Contactor - (230VAC)

Model	Pole	Description	AC1 Rating	Auxiliary		List Price (RM)
				N/O	N/C	
NC6-0904	4P	CONTACTOR (230VAC)	20A	4	0	35.00
NC6-0908	4P	CONTACTOR (230VAC)	20A	2	2	55.00



CE	S	U	PC	RCC
EU	Sweden	Ukraine	Russia	South Africa



NH2

CHINT NH2 SWITCH DISCONNECTOR(IEC/EN 60947-3)

NO	CODE	Ie (A)	DESCRIPTION	POLE	U/PRICE(RM)
1	NH2-2-32	32A	ISOLATOR	2	24.00
2	NH2-2-63	63A	ISOLATOR	2	28.00
3	NH2-3-32	32A	ISOLATOR	3	46.00
4	NH2-3-63	63A	ISOLATOR	3	55.00
5	NH2-3-100	100A	ISOLATOR	3	110.00



NU6

CHINT NU6 LOW-VOLTAGE SURGE ARRESTOR

NO	CODE	KA (Imax)	DESCRIPTION	POLE	U/PRICE(RM)
1	NU6-II/F-2P	40	SURGE ARRESTOR-275V	2	275.00
2	NU6-II/F-4P	40	SURGE ARRESTOR-460V	4	605.00
3	NU6-II/F-4P	60	SURGE ARRESTOR-460V	4	770.00